

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	6	RTCP same report same (satisf\$7 or meet)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 11:36
L4	25656794	((@rlad<"20031126" or @ad<"20031126" or @ptad<"20031126")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 11:36
L5	2	3 4	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 11:36
L6	107	RTCP same report same (call or ring\$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 11:37
L7	27	4 6	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 11:37

L23	1	10/137545	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/21 13:31
S1	1	"10723118"	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 17:14
S2	2	10/723118	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 17:14
S3	2	("20040252646").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/18 18:42
S5	25655216	((@lad<"20031126" or @ad<"20031126" or @ptad<"20031126")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:50
S6	16108	(test\$3 or trac\$3 or prob\$3 or no-op or "no op" or monitor\$3) near2 (signal or message or packet) near6 (media or call or voice or audio)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:53
S9	16616	370/238,241,241.1,248,249,251- 253,352,353,395.2.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:56

S11	320961	(initiat\$3 or establish\$3 or setup or set-up or (set adj up)) near2 (connection or call or path or link or session)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:57
S12	3197	S6 S11	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:59
S13	249	S5 S9 S12	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 18:59
S14	42735	(voice near2 (IP or internet or packet)) or (VoIP)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:00
S15	152	S13 S14	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:01
S16	802939	(test\$3 or trac\$3 or prob\$3 or no-op or "no op" or monitor\$3) same (RTCP or ACK or acknowledg\$5 or response or return or reply)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:02
S17	126	S15 S16	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:02

S18	193402	(test\$3 or trac\$3 or prob\$3 or no-op or "no op" or monitor\$3) near1 (control)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:04
S19	21	S17 S18	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/18 19:04
S22	42193	(media or call or voice or audio) near3 (control) near3 (message or signal or packet)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:29
S23	38431	(establish\$3 or initiat\$3 or setup or set-up or (set adj up)) near4 (connect\$3 or call or path or link) with (RTCP or return or reply or quality or response or ack or acknowlegd\$6)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:30
S24	3390	S22 S23	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:32
S25	16641	370/238,241,241.1,248,249,251- 253,352,353,395.2.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:32
S26	524	S24 S25	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:32

S27	25656284	((@!ad<"20031126" or @ad<"20031126" or @!ad<"20031126"))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:32
S28	419	S26 S27	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:33
S29	2400	((establish\$3 or initiat\$3 or setup or set-up or (set adj up)) near4 (connect\$3 or call or path or link) with ((based or basis or correspond\$3 or depend\$3 or accord\$3 or associat\$3) near4 (RTCP or return or reply or quality or response or ack or acknowledg\$6))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:35
S30	21	S28 S29	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 13:36
S31	42193	((media or call or voice or audio) near3 (control) near3 (message or signal or packet)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S32	38431	((establish\$3 or initiat\$3 or setup or set-up or (set adj up)) near4 (connect\$3 or call or path or link) with (RTCP or return or reply or quality or response or ack or acknowledg\$6))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03

S33	3390	S31 S32	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S34	16641	370/238,241,241.1,248,249,251- 253,352,353,395.2.ccls.	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S35	524	S33 S34	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S36	25656284	(@lad<"20031126" or @ad<"20031126" or @ptad<"20031126")	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S37	419	S35 S36	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S38	2400	(establish\$3 or initiat\$3 or setup or set-up or (set adj up)) near4 (connect\$3 or call or path or link) with ((based or basis or correspond\$3 or depend\$3 or accord\$3 or associat\$3) near4 (RTCP or return or reply or quality or response or ack or acknowledg\$6))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03

S39	21	S37 S38	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 14:03
S40	14	((null or dummy or idle) near2 (packet)) with (keep near alive)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 15:42
S41	5	S36 S40	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 15:42
S42	18	((null or dummy or idle) near2 (packet)) with ((establish\$3 or initiat\$3 or setup or set-up) near2 (call or connection or link or path))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 15:48
S43	13	S36 S42	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 15:49
S44	116	((null or dummy or idle) near2 (packet or message or data or frame)) with ((establish\$3 or initiat\$3 or setup or set-up) near2 (call or connection or link or path))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:10
S45	85	S44 S36	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:11

S46	16	((null or dummy or idle) near2 (packet or message or data or frame)) with (monitor\$3 near3 (connection or path or quality))	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:51
S47	11	S36 S46	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:51
S48	58	((null or dummy or idle) near2 (packet or message or data or frame)) with (keep near2 alive)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:52
S49	33	S36 S48	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 16:53
S50	0	(keep adj alive adj message) with (null and control)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:52
S51	980	(keep adj alive adj message)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:52
S52	4	(keep adj alive adj message) with (null or dummy)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:52



S53	2	S36 S52	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:53
S54	27768	(dummy or idle or null) near2 (packet or data or message)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:53
S55	21555	S36 S54	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:54
S56	57	(keep adj alive) same (dummy or idle or null) near2 (packet or data or message)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:55
S57	30	S56 S36	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:55
S58	23	(null near2 (portion or section)) with (header or overhead)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:58
S59	16	S36 S58	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 17:59

S60	6	(keep adj alive adj message) same (null or dummy)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 18:18
S61	3	S60 S36	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 18:18
S63	2293	(establish\$3 or initiat\$3 or setup or set-up or (set adj up)) with (RTP or (real near time near protocol))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:41
S64	10653	(RTCP or (real near time near2 protocol))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:41
S65	1920	S63 S64	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:41
S66	257	S65 S34 S36	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:42
S67	1133	(establish\$3 or initiat\$3 or setup or set-up or (set adj up)) with (call or path or connection or link) with (RTP or (real near time near protocol))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:47

S68	175	S66 S67	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/19 19:47
S69	558	RTP with (report\$5) and RTP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:49
S70	25656284	(@rlad<"20031126" or @ad<"20031126" or @ptad<"20031126")	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:50
S71	16641	370/238,241,241.1,248,249,251- 253,352,353,395.2.ccls.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:50
S72	68	S69 S70 S71	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:50
S73	321135	(initiat\$3 or establish\$3 or setup or set-up or (set adj up)) near2 (connection or call or path or link or session)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:51
S74	43	S72 S73	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:51

S75	2	10/723118	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:52
S76	14	RTCP same TTL	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:57
S77	12	S70 S76	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 11:57
S78	4	S74 ttl	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 12:01
S79	10	(RTP with TTL) and RTCP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:13
S80	7	S70 S79	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:14
S81	1	S73 S80	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:16

S82	2685	(initiat\$3 or establish\$3 or setup or set-up or (set adj up)) near2 (connection or call or path or link or session) same RTP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:19
S83	2800	RTP	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:20
S84	817	S82 S83	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:20
S85	141	S70 S71 S84	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:20
S86	3	S85 ttl	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:21
S87	44	S84 (TTL)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:27
S88	39	S87 S70	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:27

S89	5	S84 (TTL same RTP)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 14:34
S90	528	(RTP with Report)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 15:01
S91	472	S90 rtp	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 15:02
S92	61	S91 S70 S71	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 15:02
S93	20	S92 S92	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 15:09
S94	322	(marker adj bit) with (information)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 16:47
S95	8	S94 S71	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 16:47

S96	62	RTP with (dummy or null)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 18:29
S97	34	S96 S70	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 18:29
S98	113584	(determin\$3 or set) near4 ((marker adj bit) or (flag))	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:25
S99	15	(determin\$3 or set) near4 ((marker adj bit) or (flag)) same RTCP	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:25
S100	7	S99 S70	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:25
S101	6	(determin\$3 or set) near4 ((marker adj bit) same RTCP	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:26
S102	0	S101 S70	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:26

S103	29	(determin\$3 or set) near4 ((marker adj bit)) and RTCP	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:26
S104	15	S103 S70	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:27
S105	6	(US-20070286165-\$ or US-20030072269-\$ or US-20030220971-\$).did. or (US-6741600-\$ or US-6775703-\$ or US-7286467-\$).did.	US-PGPUB; USPAT	AND	ON	2008/08/20 19:35
S106	2	S105 (RING\$3)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:36
S107	1	delay\$3 near4 (ring\$5) same RTCP same report	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:38
S108	1	delay\$3 near4 (ring\$5) same RTCP	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:42
S109	1	(ring\$5) same RTCP with (satisf\$7 or accept\$6 or meet)	US-PGPUB; USPAT; USCOR; JPO; DERWENT; IBM_TDB	AND	ON	2008/08/20 19:43



8/21/2008 1:47:34 PM

C:\Documents and Settings\kyuen\My Documents\EAST\Workspaces\10723118.wsp